



67838

JUL 19 1989

EXPRESS MAIL

Ms. Pamela Lange
New Jersey Department of
Environmental Protection
Bureau of Federal Case Management
401 E. State Street
5th Floor West Wing
Trenton, NJ 08625

Re: SCP Carlstadt Site

Dear Pam:

Enclosed for your information are the following materials, which have recently been submitted by the PRPs for the SCP-Carlstadt Site:

- 1) Drawings showing contours of levels of PCB contamination (2 copies);
- 2) A letter, dated June 29, 1989 submitted to EPA in response to Jim Rooney's letter dated 4/24/89, concerning Dames & Moore's ground water flow theories;
- 3) Results of EP Toxicity tests performed on soil samples (at EPA's request) - this information will be incorporated into revised FS (2 copies);
- 4) A revised "Appendix E" to the FS, containing final results of solidification/stabilization treatability studies (2 copies);
- 5) A letter, dated June 29, 1989 from the Facility Coordinator regarding the health assessment (performed by TERRA);
- 6) A revised "Appendix I" to the FS, containing risk assessment related to volatilization (EPA's FS comments requested that this section be deleted);
- 7) A letter, dated July 12, 1989, from the Facility Coordinator discussing proposed activities for characterization of "rubble" at the site - field work will be initiated on Thursday, July 20, and EBASCO will be present for the duration of the assessment;
- 8) The April, 1989 Progress Report; and

					003169

9) The May, 1989 Progress Report.

If you have any questions regarding these documents, please feel free to call me.

Sincerely yours

Janet Feldstein, Project Manager
Northern New Jersey Compliance Section

Enclosures

cc: Harry Yeh (w/enclosures)

003170